## **Safety Data Sheet**

## **Polyblast Acrylic Blasting Media**

1-01-2017

Page 1 of 6

#### 1. Product and Company Identification

Trade Name: Polyblast Acrylic

Synonym: Acrylic Blasting Media

Recommended Use: Primarily used for paint stripping and media blasting

Manufacturer: Abrasive Supply Company, Inc.

25240 State Route 172

Minerva, Ohio 44657

Phone: 330-894-2818

Fax: 330-894-2626

E-mail: <a href="mailto:sales@polyblast.com">sales@polyblast.com</a>

#### 2. Hazards Identification

Granular material with no odor.

Spilled product may create a slipping hazard. Clean up any spills immediately.

Potential Health Effects:

Eye- Solids or duct may cause irritation or scratch the eye.

Skin- Material can be abrasive.

Ingestion-May be harmful if swallowed.

Inhalation- Potential respiratory irritation

No known chronic health effects.

## **Safety Data Sheet**

## **Polyblast Acrylic Blasting Media**

1-01-2017

Page 2 of 6

#### Carcinogenicity:

NTP-No

IARC Monographs- No

OSHA- No

	HMIS	NFPA
Health	2	2
Flammability	0	0
Reactivity	0	0

This product is not considered hazardous within the definition contained in the code of Federal Regulations: 29 CFR 1915-2.

#### 3. Composition/Information on Ingredients

Acrylic Polymer > 97 ACGIH TLV None

CAS #80-62-6 OSHA PEL None

Pigment and Additives < 2 ACGIH TLV None

**OSHA PEL None** 

 $resiSTAT^{\text{R}} \\$ 

(Anti-static agent) < 1 ACGIH TLV None

CAS #002764-13-8 OSHA PEL None

## **Safety Data Sheet**

### **Polyblast Acrylic Blasting Media**

1-01-2017

Page 3 of 6

#### 4. First Aid Measures

Inhalation- Remove person to fresh air. Perform CPR if breathing has stopped and seek immediate medical attention.

Skin- Product may be abrasive. Wash thoroughly. Seek medical attention if irritation persists.

Eye- If particles get into eye, treat as any foreign object. Flush with water for 15 minutes. Seek medical treatment for any serious eye injury.

Ingestion- Induce vomiting by giving two glasses of water. Seek medical attention.

No known medical conditions generally aggravated by exposure.

#### **5. Fire Fighting Measures**

Extinguishing Media-Foam, Dry Chemical, CO2, Water Fog

Hazardous Combustion Products- Dense Smoke, Carbon Monoxide, Carbon Dioxide, Methyl Methacrylate.

Fire Fighting Procedures- Wear a self-contained breathing apparatus with full face plate and full protective coating.

Flash Point-N/A

Dust can form explosive mixture with air. Temperatures above 370 C will result in depolymerization releasing highly flammable methyl methacrylate.

Flammable Limits- N/A

LEL- NA

UEL-N/A

## **Safety Data Sheet**

## **Polyblast Acrylic Blasting Media**

1-01-2017

Page 4 of 6

#### **6. Accidental Release Measures**

Spilled product can cause a slipping hazard. Sweep up any spilled product immediately and dispose of in appropriate container. Do not expose to flames, sparks, excessive temperatures, and oxidizing agents.

#### 7. Handling and Storage

Use in a well-ventilated area. Avoid contact with eyes.

Store in closed containers in a cool, dry area. Do not expose to open flames, excessive heat, or oxidizing agents. Do not store in unmarked containers.

#### 8. Exposure Controls/personal Protection

Occupational Exposure Limit Values- N/A

Biological Limit Values- N/A

Engineering Controls- Mechanical Ventilation and Local Exhaust. Use explosion proof electrical equipment for extremely high dust levels.

Respiratory Protection- Use of a 8710 Dust and Mist respirator is recommended.

Skin Protection- Wear gloves during use. Wash hands thoroughly before eating, smoking, etc.

Eye Protection- Standard Safety Glasses with Side shields.

## **Safety Data Sheet**

## **Polyblast Acrylic Blasting Media**

1-01-2017

Page 5 of 6

#### 9. Physical and Chemical Properties

Appearance – Granular clear or colored particles.

Odor- Odorless

Melting Point-N/A

Boling Point- N/A

Evaporation Rate (Butyl Acetate=1)-N/A

Vapor Pressure (mm Hg)- N/A

Vapor Density (AIR=1)-N/A

Solubility in Water-0

Specific Gravity (H2O=1)-1.2

pH-4.8

#### 10. Stability and Reactivity

Chemical Stability (Conditions to Avoid) – Ignition Sources, Excessive Heat, Oxidizing Agents

Conditions to Avoid-Static charge can build during material handling.

Incompatible materials- N/A

Hazardous Decomposition Products- Smoke, Carbon Monoxide, Carbon Dioxide, Methyl Methacrylate

Hazardous Polymerization- Will not occur

Stability- Stable

#### 11. Toxicological Information-

Very low order of acute toxicity.

## **Safety Data Sheet**

## **Polyblast Acrylic Blasting Media**

1-01-2017

Page 6 of 6

#### 12. Ecological Information

Clean-up of product can be handled and disposed of safely according to all Federal, State, and Local regulations.

#### 13. Disposal Considerations

This product can be safely disposed of as normal solid waste according to Federal, State, and Local regulations.

#### 14. Transport Information

**DOT- Not Regulated** 

NMF Classification- Class 55 1020

Marine Hazard- No

Special Transport Precautions- None

#### 15. Regulatory Information

PPE for handling according to OSHAS Standard 29CFR 1910 Subpart 1.

#### **16. Other Information**

The information contained in this SDS was obtained from sources we believe are reliable. However, it is provided without any representation or warranty, expressed or implied regarding accuracy or correctness. The conditions or methods of handling, storage, use, and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with the handling, storage, use, or disposal of the product.